

# CORRE

**MADE IN JAPAN**

**UNGLAZED PORCELAIN**

## PACKAGING

COLOR CODES	UNIT	SIZE	BOX			PALLET		
			PC	SQ.FT.	LB(NET WEIGHT)	BOX	SQ.FT.	LB(NET WEIGHT)
COR-1/2/3/4/5/ 6/7/8/9/10	INCH/FEET	2-1/2"x11-1/4"	50	10.50	52.8	45	472.50	2,376
			PC	SQ.M.	KG(NET WEIGHT)	BOX	SQ.M.	KG(NET WEIGHT)
	METRIC	65x287x12mm	50	0.93	24	45	41.85	1,080
			PC	SQ.M.	KG(NET WEIGHT)	BOX	SQ.M.	KG(NET WEIGHT)

\*SQ.FT. and SQ.M. quantity is calculated without joint.

## TEST REPORT

The tiles have been inspected in accordance with JIS (Japanese Industrial Standards) specification.

Test	Result	Specification
Water Absorption	0.07% on average.	JIS A 1509-3 : 2014
Frost Resistance	No deterioration.	JIS A 1509-9 : 2014
Bending Fracture Load	2,340.64N on average	JIS A 1509-4 : 2014
Bending Strength	41.5N/mm <sup>2</sup> on average	JIS A 1509-4 : 2014
Chemical Resistance	As below:	JIS A 1509-10 : 2020
Ammonium chloride solution	No change.	
Hydrochloric acid solution	No change.	
Citric acid solution	No change.	
Potassium hydroxide solution	No change.	
Sodium hypochlorite solution	No change.	

## NOTE

Has natural shade variation among batches.

Has size variation within JIS. \*JIS:  $\pm 1.2\text{mm}$  /  $\pm 2.4\text{mm}$  (64.2 ~ 65.8mm / 284.6 ~ 289.4mm)

Clean with neutral detergent.

9mm joint is recommended.



**MARUMAN SHOKAI CO., LTD.**

3207-1 Kasahara-cho Tajimi-city Gifu 507-0901 Japan  
 TEL: +81-572-43-2201 FAX: +81-572-43-2203  
 maruman2@tile-maruman.co.jp <https://tile-maruman.com>